

Appln No. 10/560,666

Amdt date June 18, 2007

Reply to Office action of January 17, 2007

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1 - 102. (Cancelled)

103. (New) A neural network comprising:
- (a) a plurality of neurons,
 - (b) each of the plurality of neurons being a processor with memory and being in an array:
 - (c) the plurality of neurons comprising a plurality of structural neurons;
 - (d) all elemental and structural neurons being configured to be associated with others of the elemental and structural neurons via active connections;
 - (e) each elemental neuron being configured to:
 - (i) represent a unique value input into the artificial neural network system, the unique value being at least one selected from the group consisting of: a stimulus, an event, events, a sequence in a pattern, a sequence of events, an elemental stimulus, a defined elemental patterns, a defined elemental data element, a basic input stimulus, and an output stimulus of information being processed; and
 - (ii) express that unique value as an output when activated by a structural neuron;
 - (f) each structural neuron being configured to:
 - (i) receive input from a pair of neurons of the plurality of neurons and with which it is an associating neuron; and
 - (ii) express that input as an output to that pair of neurons to activate the pair of neurons for expression.

Appln No. 10/560,666

Amdt date June 18, 2007

Reply to Office action of January 17, 2007

104. (New) An artificial network as claimed in claim 103, wherein any one of the plurality of neurons is able to associate with a neuron in the plurality of neurons via the active connections to a further neuron in the plurality of neurons, the further neuron being one of the plurality of structural neurons.

105. (New) An artificial neural network as claimed in claim 103, wherein each structural neuron represents the combined information of patterns by the pair of neurons with which it associates, the structural neuron receiving input from the pair of neurons.

106. (New) A neural network as claimed in claim 103, wherein the plurality of elemental neuron is in a root level of the neural network.

107. (New) An artificial neural network as claimed in claim 103, wherein the pairs of neurons comprises at least one selected from the group consisting of: an elemental neuron and an elemental neuron, an elemental neuron and a structural neuron and a structural neuron.

108. (New) An artificial neural network as claimed in claim 103, wherein each of the plurality of neurons is one or more selected from the group consisting of: initiating neuron, associated neuron, and associating neuron; an initiating neuron being associated with an associated neuron via connections to the associating neuron.

109. (New) An artificial neural network as claimed in claim 108, wherein the initiating neuron, the associated neuron and the associating neuron are connected based on proximal characteristics, the proximal characteristics being at least one of: temporal, spatial, intensity, magnitude and relative position of the input being processed.

Appln No. 10/560,666
Amdt date June 18, 2007
Reply to Office action of January 17, 2007

110. (New) An artificial neural network as claimed in claim 108, wherein each initiating neuron is able to associate with a plurality of associated neurons to form a plurality of pair of neurons.

111. (New) An artificial neural network as claimed in claim 108, wherein each associated neuron is able to associate with a plurality of initiating neurons to form a plurality of pairs of neurons.

112. (New) An artificial neural network as claimed in claim 108, wherein when an initiating neuron receives input and an associated neuron receives input, the inputs are transmitted to all associating neurons of the initiating neuron and the associated neuron, the associating neuron of both the initiating neuron and the associated neuron then being activated and being able to produce output..

113. (New) An artificial neural network as claimed in claim 112, wherein the associated neuron is activated and able to produce output in a manner selected from the group consisting of: at the same time as the initiating neuron, and after the initiating neuron.

114. (New) An artificial neural network as claimed in claim 112, wherein the activation or production of output of the initiating neuron and the associated neuron is also based on proximal characteristics.

115. (New) An artificial neural network as claimed in claim 114, wherein the proximal activation of or production of output from the initiating neuron and the associated neuron causes at least one selected from the group consisting of: the creation of a new associating neuron if none exists together with new connections between the initiating neuron and the new associating neuron and between the

Appln No. 10/560,666

Amdt date June 18, 2007

Reply to Office action of January 17, 2007

associated neuron and the new associating neuron, the strengthening of existing connections between the initiating neuron and the associating neuron, and between the associated neuron and the associating neuron, and strengthening of the associating neuron.

116. (New) An artificial neural network as claimed in claim 115, wherein the strengthening is by maintaining a frequency count of how often the associating neuron receives input from the initiating neuron and the associated neuron.

117. (New) An artificial neural network as claimed in claim 108, wherein the associating neuron represents the sum of what is represented by the initiating neuron and the associated neuron.

118. (New) An artificial neural network as claimed in claim 108, wherein once the associating neuron represents a result, the result need not be created in another neuron.

119. (New) An artificial neural network as claimed in claim 103, wherein the plurality of elemental neurons is configured to: receive all input to the artificial neural network, and provide all output from the artificial neural network.

120. (New) An artificial neural network as claimed in claim 103, wherein:
all neurons represent at least one of: value, information and pattern; and
the processor is configured to perform at least one of: associating neurons, expressing the pair of neurons with which a structural neuron associates, and expressing the value information or pattern represented by elemental neurons.

Appln No. 10/560,666
Amdt date June 18, 2007
Reply to Office action of January 17, 2007

121. (New) An artificial neural network as claimed in claim 103, wherein a level of the neural network is a deeper level within the neural network structure if, during expression, more steps are required to express the elemental neurons that is represents.

122. (New) An artificial neural network as claimed in claim 119, wherein associating a pair of neurons is learning, and expressing a pair of neurons is expression.

123. (New) An artificial neural network as claimed in claim 121, wherein the artificial neural network is bi-directional with a forward mode being learning, and a reverse mode being expression.

124. (New) An artificial neural network as claimed in claim 103, wherein the artificial neural network stores associations and not input data and represents patterns within patterns of associations.

125. (New) An artificial neural network as claimed in claim 103, wherein each elemental neuron is selected from the group consisting of: a sensor neuron and a motor neuron.

126. (New) An artificial neural network as claimed in claim 103, wherein each structural neuron represents a plurality of elemental neurons.

127. (New) An artificial neural network as claimed in claim 103, wherein each of the plurality of neurons is able to be expressed.

Appln No. 10/560,666

Amdt date June 18, 2007

Reply to Office action of January 17, 2007

128. (New) An artificial neural network as claimed in claim 103, wherein the number of elemental neurons and structural neurons required for the memory is determined by the nature of the input to be processed.

129. (New) An artificial neural network as claimed in claim 103, wherein the memory is to store a frequency of received inputs.

130. (New) An artificial neural network as claimed in claim 108, wherein each neuron is a node in the array, each node having a plurality of pointers.

131. (New) An artificial neural network as claimed in claim 130, wherein the plurality of pointers comprises two pointers for providing expression and further pointers to represent associations.

132. (New) An artificial neural network as claimed in claim 130, wherein each pointer in each node contains at least one selected from the group consisting of: an address of another neuron, an elemental value for an elemental neuron, and a frequency count.

133. (New) An artificial neural network as claimed in claim 130, wherein the number of pointers depends on a function being performed by the artificial neural network, the number of pointers for each neuron being at least two..

134. (New) An artificial neural network as claimed in claim 130, wherein a function of each pointer to a neuron is selected from the group consisting of: initiating, associating, successor, next successor, of the initiating neuron, precessor, and next precessor of the associating neuron.

Appln No. 10/560,666

Amdt date June 18, 2007

Reply to Office action of January 17, 2007

135. (New) An artificial neural network as claimed in claim 130, wherein at least one pointer for an elemental neuron represents elemental values.

136. (New) An artificial neural network as claimed in claim 130, wherein all neurons are a fixed length addressable node in the array.

137. (New) An artificial neural network as claimed in claim 103, wherein the artificial neural network is used for at least one selected from the group consisting of: monitoring and predicting stock price movements, internet surveillance, internet security, computer virus detection, computer spam detections, phrases in speech and text, clauses in speech and text, plagiarism detection, bioinformatics, vision recognition, semantic analysis, representation of data ontologies, robotics, and data compression.

138. (New) An artificial neural network comprising:

- (a) a plurality of neurons,
- (b) each of the plurality of neurons being a processor with memory and being in an array;
- (c) the plurality of neurons comprising a plurality of elemental neurons and a plurality of structural neurons;
- (d) all elemental and structural neurons being configured to be associated with others of the elemental and structural neurons via active connections;
- (e) each elemental neuron being configured to:
 - (i) represent a unique value able to be input into the artificial neural network system, the unique value being one of: a stimulus, an event, events, a sequence in a pattern or sequences of events; and
 - (ii) express that unique value as an output; and
- (f) each structural neuron being configured to receive input from a pair of neurons with which it is associating, the pair of neurons being selected from the

AppIn No. 10/560,666
Amdt date June 18, 2007
Reply to Office action of January 17, 2007

group consisting of: both elemental neurons, both structural neurons, one structural and one elemental neuron, and one elemental neuron and one structural neuron.

139. (New) An artificial neural network as claimed in claim 138, wherein the plurality of elemental neurons are in a root level of the neural network, and each elemental neuron represents a unique value, the unique value being at least one selected from the group consisting of: a stimulus, an event, events, a sequence in a pattern, a sequence of events, an elemental stimulus, a defined elemental pattern, a defined elemental data element, a basic input stimulus, and an output stimulus of information being processed.

140. (New) An artificial neural network as claimed in claim 138, wherein each elemental neuron is selected from the group consisting of: a sensor neuron and a motor neuron.

141. (New) An artificial neural network as claimed in claim 138, wherein:
all neurons represent at least one of: value, information and pattern; and
the processor is configured to perform at least one of: associating neurons, expressing the pair of neurons with which a structural neuron associates, and expressing the value information or pattern represented by elemental neurons.

142. (New) An artificial neural network as claimed in claim 138, wherein neuron associations are represented in a plurality of deeper neural levels; the number of levels in the plurality of deeper levels being determined by the extent of the pattern to be processed or expressed, where a structural neuron represents a plurality of elemental neurons.

Appln No. 10/560,666

Amdt date June 18, 2007

Reply to Office action of January 17, 2007

143. (New) An artificial neural network as claimed in claim 142, wherein the number of elemental neurons and structural neurons required for the memory is determined by the nature of the input to be processed.

144. (New) An artificial neural network as claimed in claim 138, wherein any one of the plurality of neurons is able to associate with a neuron in the plurality of neurons via the active connections to a further neuron in the plurality of neurons, the further neuron being one of the plurality of the structural neurons.

145. (New) An artificial neural network as claimed in claims 138, wherein the artificial neural network is bi-directional with a forward mode being learning, and a reverse mode being expression.

146. (New) An artificial neural network as claims in claim 138, wherein the artificial neural network stores associations and not input data and represents patterns within patterns of associations.

147. (New) An artificial neural network as claimed in claim 138, wherein each of the plurality of neurons is able to be expressed.

148. (New) An artificial neural network comprising:

- (a) a plurality of neurons,
- (b) each of the plurality of neurons being a processor with memory and being in an array;
- (c) the plurality of neurons comprising a plurality of elemental neurons and a plurality of structural neurons;

Appln No. 10/560,666
Amdt date June 18, 2007
Reply to Office action of January 17, 2007

(d) all elemental and structural neurons being configured to be associated with others of the elemental and structural neurons via active connections;

(e) each elemental neuron being configured to:

(i) represent a unique value able to be input into the artificial neural network system, the unique value being at least one selected from the group consisting of: a stimulus, an event, events, a sequence in a pattern, a sequence of events, an elemental stimulus, a defined elemental pattern, a defined elemental data element, a basic input stimulus, and an output stimulus of information being processed; and

(ii) express that unique value as an output;

(f) all of the plurality of structural neurons being able to be expressed in terms of the elemental neurons from which they were derived or represent.

149. (New) An artificial neural network as claimed in claim 148, wherein the artificial neural network is bi-direction with a forward mode being learning, and a reverse mode being expression.

150. (New) An artificial neural network as claimed in claim 148, wherein the artificial neural network stores associations and not input data and recognizes patterns within patterns of associations.

151. (New) An artificial neural network as claimed in claim 148, wherein the neural network is bi-directional with all elemental neurons being able to express their elemental values, and all structural neurons being able to express a pair of neurons with which they associate.

Appln No. 10/560,666

Amdt date June 18, 2007

Reply to Office action of January 17, 2007

152. (New) An artificial neural network comprising:
- a) a plurality of neurons,
 - (b) each of the plurality of neurons being a processor with memory and being a node in an array;
 - (c) the plurality of neurons comprising a plurality of elemental neurons and a plurality of structural neurons;
 - (d) all elemental and structural neurons being configured to be associated with others of the elemental and structural neurons via active connections;
 - (e) the artificial neural network being bi-directional and being able to operate in a forward mode where structural neurons are created from input events from the elemental neurons, and in a reverse mode where input events are expressed by the elemental neurons.
153. (New) An artificial neural network as claimed in claim 152, wherein the forward mode is learning, and the reverse direction is expression.
154. (New) An artificial neural network as claimed in claim 152, wherein the neural network stores associations and not input data.
155. (New) An artificial neural network as claimed in claim 152, wherein the neural network represents and recognizes patters within patterns of association.
156. (New) A neuronal assembly for use in an artificial neural network, the neuronal assembly comprising an initiating neuron, an associated neuron, and an associating neuron operatively connected to the initiating neuron and the associated neuron.

Appln No. 10/560,666

Amdt date June 18, 2007

Reply to Office action of January 17, 2007

157. (New) An artificial neural network as claimed in claim 156, wherein the artificial neural network is as claimed in claim 1.

158. (New) A neuronal assembly as claimed in claim 156, wherein an initiating neuron receives input and an associated neuron receives input, the inputs are transmitted to all associating neurons of the initiating neuron and the associated neuron, the associating neuron of both the initiating neuron and the associated neuron then being activated and being able to produce input.

159. (New) A neuronal assembly as claimed in claim 158, wherein the associated neuron is able to produce output in a manner selected from the group consisting of: at the same time as the initiating neuron, and after the initiating neuron.

160. (New) A neuronal assembly as claimed in claim 158, wherein the activation of or producing of output from of the initiating neuron and the associated neuron is based on proximal characteristics.

161. (New) A neuronal assembly as claimed in claim 160, wherein the proximal activation of or producing of output from the initiating neuron and the associated neuron causes at least one selected from the group consisting of: the creation of a new associating neuron if none exists together with new connections between the initiating neuron and the new associating neuron and between the associated neuron and the new associating neuron, the strengthening of existing connections between the initiating neuron and the associating neuron and between the associated neuron and the associating neuron, and strengthening of the associating neuron.

Appln No. 10/560,666
Amdt date June 18, 2007
Reply to Office action of January 17, 2007

162. (New) A neuronal assembly as claimed in claim 156, wherein the associating neuron represents the sum of what is represented by the initiating neuron and the associated neuron.

163. (New) A neural assembly as claimed in claim 156, wherein once the associating neuron represents a result, the result need not be created in another neuron.

164. (New) A method for creating an association of neurons in an artificial neural network having a plurality of neurons, once of the plurality of neurons being an initiating neuron, another of the plurality of neurons being an associated neuron, and a further neuron of the plurality of neurons being an associating neuron; the method comprising:

activating or producing an output from the initiating neuron to potentiate the associating neuron; and

activating or producing an output from the associated neuron to potentiate and activate the associating neuron, the associating neuron then being activated and able to produce an output.

165. (New) A method as claimed in claim 164, wherein the associating neuron is expressed by the associating neuron expressing the initiating neuron and the associated neuron.

166. (New) A method as claimed in claim 164, wherein the associated neuron is activated or produces an output in a manner selected from the group consisting of: at the same time as the initiating neuron, and after the initiating neuron.

Appln No. 10/560,666

Amdt date June 18, 2007

Reply to Office action of January 17, 2007

167. (New) A method as claimed in claim 164 wherein the activation of or producing an output by the initiating neuron and the activation of or producing an output by the associated neuron is based on proximal characteristics.

168. (New) A method as claimed in claim 167, wherein the proximal activation of or producing output from the initiating neuron and the associated neuron causes at least one selected from the group consisting of: the creation of a new associating neuron if none exists together with new connections between the initiating neuron and the new associating neuron and between the associated neuron and the new associating neuron, the strengthening of existing connections between the initiating neuron and the associating neuron and between the associated neuron and the associating neuron, and strengthening of the associating neuron.

169 (New) A method as claimed in claim 164, wherein the associating neuron represents the sum of what is learnt from the initiating neuron and the associated neuron.

170. (New) A method as claimed in claim 168, wherein once the new associating neuron is created to represent a result, the result need not be created in another neuron.

171. (New) A method as claimed in claim 164, wherein once the associating neuron represents a result, the result need not be created in another neuron.

172. (New) A method of operating a neural network comprising a plurality of neurons, the plurality of neurons comprising plurality of elemental neurons, and a plurality of structural neurons, the method comprising:

(a) defining events the elemental neurons will represent;

Appln No. 10/560,666

Amdt date June 18, 2007

Reply to Office action of January 17, 2007

(b) creating a required number of elemental neurons for the total number of unique values to be represented for all defined events;

(c) the plurality of elemental neurons receiving all input to the artificial neural network, all output from the artificial neural network being from the plurality of elemental neurons;

(d) creating processes for creating the plurality of structural neurons;

(e) creating processes for producing an output from a structural neuron on activation by an initiating neuron and an associated neuron;

(f) creating processes for association of the plurality of neurons; and

(g) creating processes for expression of the plurality of neurons.

173. (New) A method as claimed in claim 172, wherein any one of the plurality of neurons is able to associate with a neuron in the plurality of neurons via active connections to a further neuron in the plurality of neurons, the further neuron being one of the plurality of structural neurons.

174. (New) A method as claimed in claim 172, wherein all elemental neurons are able to express their elemental values, and all structural neurons are able to express a pair of neurons with which they associate.

175. (New) A method as claimed in claim 174, wherein the pair of neurons is selected from the group consisting of: an elemental neuron with an elemental neuron, an elemental neuron with a structural neuron, a structural neuron with an elemental neuron, a structural neuron with a structural neuron.

176. (New) A method as claimed in claim 172, wherein each of the plurality of neurons is one or more selected from the group consisting of: initiating neuron,

Appln No. 10/560,666
Amdt date June 18, 2007
Reply to Office action of January 17, 2007

associating neuron, and associating neuron; an initiating neuron being associated with an associated neuron via connections to the associating neuron.

177. (New) A method as claimed in claim 176, wherein the initiating neuron, the associated neuron and the associating neuron are connected based on proximal characteristics selected from the group consisting of: temporal, spatial, intensity, magnitude and relative position of the input being processed.

178. (New) A method as claimed in claims 172, wherein a level of the neural network is a deeper level within the artificial neural network if, during recollection, more steps are required to express the elemental neurons.

179. (New) A method as claimed in claim 176, wherein when an initiating neuron receives input and an associated neuron receives input, the inputs are transmitted to all associating neurons of the initiating neuron and the associated neuron respectively, the associating neuron of both the initiating neuron and the associated neuron then being activated and being able to produce output.

180. (New) A method as claimed in claim 179, wherein the associated neuron is activated or an output produced in a manner selected from the group consisting of: at the same time as the initiating neuron, and after the initiating neuron.

181. (New) A method as claimed in claim 179, wherein the activation of or producing an output from the initiating neuron and the activation of or producing an output from the associated neuron is based on proximal characteristics.

182. (New) A method as claimed in claim 181, wherein the proximal activation of or producing an output from the initiating neuron and the associated neuron causes

Appln No. 10/560,666

Amdt date June 18, 2007

Reply to Office action of January 17, 2007

at least one selected from the group consisting of: the creation of a new associating neuron including new synaptic connections between the initiating neuron and the new associating neuron and between the associated neuron and the new associating neuron, the strengthening of existing synaptic connections between the initiating neuron and the associating neuron and between the associated neuron and the associating neuron, and the strengthening of the associating neuron.

183. (New) A method as claimed in claim 182, wherein the strengthening is by maintaining a frequency count of how often the associating neuron receives input from the initiating neuron and the associated neuron.

184. (New) A method as claimed in claim 176, wherein the associating neuron represents the sum of what is represented by the initiating neuron and the associated neuron.

185. (New) A method as claimed in claim 172, wherein each elemental neuron represents a unique value, the unique value being at least one selected from the group consisting of: a stimulus, an event, events, a sequence in a pattern, a sequence of events, an elemental stimulus, a defined elemental pattern, a defined elemental data element, a basic input stimulus, and an output stimulus of information being processed.

186. (New) A method as claimed in claim 185, wherein a memory represents a plurality of elemental stimuli, and each elemental stimuli is represented directly by an elemental neuron.

187. (New) A method as claimed in claim 172, wherein the number of elemental neurons required to represent the memory is determined by the nature of the input being processed.

Appln No. 10/560,666

Amdt date June 18, 2007

Reply to Office action of January 17, 2007

188. (New) A method as claimed in claim 172, wherein each neuron is represented by an addressable node in an array, each node having a plurality of pointers.

189. (New) A method as claimed in claim 172, wherein the plurality of elemental neurons is in a root level of the neural network.

190. (New) A method as claimed in claim 176, wherein each initiating neuron is able to associate with a plurality of associated neurons to form a plurality of pairs of neurons.

191. (New) A method as claimed in claim 176, wherein each associated neuron is able to associate with a plurality of initiating neurons to form a plurality of pairs of neurons.

192. (New) A method as claimed in claim 176, wherein once the associating neuron represents a result, the result need not be created in another neuron.

193. (New) A method as claimed in claim 172, wherein the plurality of elemental neurons is configured to: receive all input to the artificial neural network, and provide all output from the artificial neural network.

194. (New) A method as claimed in claim 172, wherein all neurons represent at least one of: value, information and pattern; and processing is at least one of: associating neurons, expressing the pair of neurons with which a structural neuron associates, and expressing the value information or pattern represented by elemental neurons.

Appln No. 10/560,666
Amdt date June 18, 2007
Reply to Office action of January 17, 2007

195. (New) A method as claimed in claim 172, wherein associating a pair of neurons is learning, and expressing a pair of neurons is expression.

196. (New) A method as claimed in claim 195, wherein the artificial neural network is bi-directional with a forward mode being learning, and a reverse mode being expression.

197. (New) A method as claimed in claim 172, wherein the artificial neural network stores associations and not input data and represents patterns within patterns of associations.

198. (New) A method as claimed in claim 172, wherein each elemental neuron is selected from the group consisting of: a sensor neuron and a motor neuron.

199. (New) A method as claimed in claim 172, wherein each structural neuron represents a plurality of elemental neurons.

200. (New) A method as claimed in claim 172, wherein each of the plurality of neurons is able to be expressed.

201. (New) A method as claimed in claim 188, wherein the plurality of pointers comprises two pointers for providing expression and further pointers to represent associations.

202. (New) A method as claimed in claim 201, wherein each pointer in each node contains at least one selected from the group consisting of: an address of another neuron, an elemental value for an elemental neuron, and a frequency count.

Appln No. 10/560,666

Amdt date June 18, 2007

Reply to Office action of January 17, 2007

203. (New) A method as claimed in claim 201, wherein the number of pointers depends on a function being performed by the artificial neural network, the number of pointers for each neuron being as least two.

204. (New) A method as claimed in claim 201, wherein a function of each pointer to a neuron is selected from the group consisting of: initiating, associating, successor, next successor of the initiating neuron, processor, and next processor of the associating neuron.

205. (New) A method as claimed in claim 201, wherein at least one pointer for an elemental neuron represents elemental values.

206. (New) A method as claimed in claim 201, wherein all neurons are a fixed length addressable node in the array.

207. (New) A method as claimed in claim 172, wherein the artificial neural network is used for at least one selected from the group consisting of: monitoring and predicting stock price movements, Internet surveillance, Internet security, computer virus detection, computer spam detection, phrases in speech and text, clauses in speech and text, plagiarism detection, bioinformatics, vision recognition, semantic analysis, representation of data ontologies, robotics, and data compression.

208. A computer usable medium comprising a computer program code configured to cause one or more processors and/or memory to execute one or more functions to perform the method claimed in claim 164.

Appln No. 10/560,666

Amdt date June 18, 2007

Reply to Office action of January 17, 2007

209. A computer usable medium comprising a computer program code configured to cause one or more processors and/or memory to execute one or more functions to perform the method claimed in claim 172.